

0757-83128855

KINGSUN



AOZIHAO
CERAMICS • *Decorate Your Life*
Polished

FOSHAN AOZIHAO CERAMICS CO., LTD.

ADD: NO.50-52, B9, CERAMICS INTERNATIONAL TRADING CENTER,
JIHUA WEST ROAD, NANZHUANG TOWN, CHANCHENG DISTRICT,
FOSHAN, GUANGDONG, CHINA.

TEL: +86-757-82529123

FAX: +86-757-82529127

WEB: www.azhceramics.com

EMAIL: info@azhceramics.com

In case of any discrepancy between the pictures and real products, the latter shall prevail.

Company Introduction

After years of development, Foshan Aozihao Ceramics Co., Ltd has become a well-known modernized company at home and abroad.

We have most advanced technology. Every production technology's index is higher than country's standard. In 2001 we successfully passed ISO9001:2000 International Quality Management System Certification Standards. In order to ensure the high quality of products, we adopt advanced technology and modernized management. We produce different series' porcelain tiles in all kinds of regular size. It makes our products very popular with domestic and foreign clients, and gains a green products' title.

We aim to meet clients' demand as far as we can. We will be directed by the market, focus on our clients and endeavor to research and develop new products for market's favor. We will be honest with our clients, and we will fight for a brilliant future and magnificent enterprise together.





Applied with KA6030

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KA6019 600x600 800x800mm



KA6043 600x600 800x800mm



KA6030 600x600 800x800mm



KA6040 600x600 800x800mm



KA6070 600x600 800x800mm



KA6096 600x600 800x800mm

- Non-sliping 防滑
- Anti-fingerprint 耐指纹
- Wear-resistant 耐磨
- Acid-alkali resistant 耐酸碱




Applied with KA6156


GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KA6153 600x600 800x800mm



KA6156 600x600 800x800mm




KA6158 600x600 800x800mm



KA6160 600x600 800x800mm



KA6167 600x600 800x800mm



KA6168 600x600 800x800mm

- Non-sliping 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-resistant 耐酸碱



Applied with KA6156/KA6165

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KA6165 600x600 800x800mm



KA6173 600x600 800x800mm



KA6183 600x600 800x800mm



KA6187 600x600 800x800mm



KA6188 600x600 800x800mm



KA6195 600x600 800x800mm

- Non-sliping 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-resistant 耐酸



Applied with KA6056

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KA6069 600x600 800x800mm



KA6202 600x600 800x800mm



KA6056 600x600 800x800mm



KP6060 600x600 800x800mm



KP6048 600x600 800x800mm



KP6008 600x600 800x800mm

- Non-slip 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-alkali resistant 耐酸碱



Applied with KP6006

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KP6006 600x600 800x800mm



KP6011 600x600 800x800mm



KP6012 600x600 800x800mm



KP6027 600x600 800x800mm



KP6040 600x600 800x800mm



KP6042 600x600 800x800mm

- Non-sliping 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-resistant 耐酸碱



Applied with KP6023

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KP6023 600x600 800x800mm



KP6045 600x600 800x800mm




KP6049 600x600 800x800mm



KP6051 600x600 800x800mm



KP6052 600x600 800x800mm



KP6063 600x600 800x800mm

- Non-slip 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-resistant 耐酸碱



Applied with KP6050

GLAZED POLISHED SERIES AOZIHAO CERAMICS *Decorate Your Life*



KP6050 600x600 800x800mm



KA6033 600x600 800x800mm



KA6102 600x600 800x800mm



KP6066 600x600 800x800mm



KA6097 600x600 800x800mm



KA6163 600x600 800x800mm

- Non-sliping 防滑
- Anti-freeze 耐冰冻
- Wear-resistant 耐磨
- Acid-resistant 耐酸碱

GLAZED POLISHED SERIES


Decorate Your Life
AOZIHAO CERAMICS



KA6008 600x600 800x800mm



KB6007 600x600 800x800mm



KB6010 600x600 800x800mm



KA6020 600x600 800x800mm



KA6203 600x600 800x800mm



KA6063 600x600 800x800mm



KA6178 600x600 800x800mm



KA6026 600x600 800x800mm



KA6141 600x600 800x800mm



KA6088 600x600 800x800mm



KA6009 600x600 800x800mm



KA6018 600x600 800x800mm



AOZIHAO CERAMICS



AOZIHAO CERAMICS

017/018

GLAZED POLISHED SERIES


Decorate Your Life
AOZIHAO CERAMICS



KA6015 600x600 800x800mm



KB6025 600x600 800x800mm




KA6131 600x600 800x800mm



KA6007 600x600 800x800mm



KA6010 600x600 800x800mm




KB6003 600x600 800x800mm



AOZIHAO CERAMICS

GLAZED POLISHED SERIES

Decorate Your Life
AOZIHAO CERAMICS




KA6133 600x600 800x800mm



KB6008 600x600 800x800mm




KH6801 600x600 800x800mm



KB6009 600x600 800x800mm



KH6805 600x600 800x800mm



KA6166 600x600 800x800mm



AOZIHAO CERAMICS

019/020

TULIP STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KT601 600x600 800x800mm



KT602 600x600 800x800mm



KT603 600x600 800x800mm



KT619 600x600 800x800mm




Applied with KT619



Applied with KZ601

CHINESE STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KZ601 600x600 800x800mm



KZ602 600x600 800x800mm



KZ605 600x600 800x800mm



KZ606 600x600 800x800mm

NEW PEARL STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KG601 600x600 800x800mm



KG602 600x600 800x800mm



KG603 600x600 800x800mm



KG612 600x600 800x800mm



KG607 600x600 800x800mm



KG606 600x600 800x800mm



AOZIHAO CERAMICS

NEW PEARL STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KG619 600x600 800x800mm



KG610 600x600 800x800mm



Applied with KG601, KG606



AOZIHAO CERAMICS
023/024

NEW ROYAL SERIES


Decorate Your Life
AOZIHAO CERAMICS



KL601 600x600 800x800mm



KL602 600x600 800x800mm



KL603 600x600 800x800mm




Applied with KL603

RAINBOW SERIES

Decorate Your Life
AOZIHAO CERAMICS



KH601 600x600 800x800mm



KH602 600x600 800x800mm



KH603 600x600 800x800mm



Applied with KH601

Non-slipping 防滑
Acid-Resistant 耐酸
Wear-resistant 耐磨
Anti-stain resistant 耐污

AOZIHAO CERAMICS
025/026

CRYSTAL LINE SERIES

Decorate Your Life
AOZIHAO CERAMICS



Applied with KM603




KM602

600x600 800x800mm



KM603

600x600 800x800mm



KM601

600x600 800x800mm



KM605

600x600 800x800mm



AOZIHAO CERAMICS
027/028

NATURAL STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KA601 600x600 800x800mm



KA602 600x600 800x800mm



KA603 600x600 800x800mm



Applied with KA601



AOZIHAO CERAMICS

TRAVERTINE SERIES

Decorate Your Life
AOZIHAO CERAMICS



Applied with KTR601, KTR603



KTR601 600x600 600x1200 800x800mm
POLISHED, MATT



KTR603 600x600 600x1200 800x800mm
POLISHED, MATT



AOZIHAO CERAMICS
029/030

LINE STONE SERIES

Decorate Your Life
AOZIHAO CERAMICS



KB601 600x600 800x800mm



KB602 600x600 800x800mm



KB603 600x600 800x800mm



KB605 600x600 800x800mm

NAFUNA SERIES

Decorate Your Life
AOZIHAO CERAMICS



KA691 600x600 800x800mm



KA692 600x600 800x800mm



KA693 600x600 800x800mm



Applied with KA693

DOUBLE LOADING SERIES

Decorate Your Life
AOZIHAO CERAMICS



AK601 600x600 800x800mm




AK602 600x600 800x800mm



AK605 600x600 800x800mm



AK614 600x600 800x800mm



AK615 600x600 800x800mm



AK625 600x600 800x800mm



AOZIHAO CERAMICS

SNOW WHITE SERIES

Decorate Your Life
AOZIHAO CERAMICS



6FA01 600x600 800x800mm



6FA003 600x600 800x800mm



6FA-001 600x600 800x800mm



FA0604 600x600 800x800mm



HQT6206 600x600 800x800mm



AOZIHAO CERAMICS
033/034

PURE COLOR SERIES

Decorate Your Life
AOZIHAO CERAMICS



K6900 600x600 800x800mm




K6900EX 600x600 800x800mm




AK6603 600x600 800x800mm




AK6002 600x600 800x800mm



AK6005 600x600 800x800mm



AK6606 600x600 800x800mm



AK611 600x600 800x800mm



AK6602 600x600 800x800mm




AK6604 600x600 800x800mm




AOZIHAO CERAMICS

CRYSTAL DOUBLE LOADING SERIES


Decorate Your Life
AOZIHAO CERAMICS



K6601 600x600 800x800mm



K6602 600x600 800x800mm



K6603 600x600 800x800mm



K6609 600x600 800x800mm




K6607 600x600 800x800mm



K6606 600x600 800x800mm



K6610 600x600 800x800mm



Applied with **K6603**



AOZIHAO CERAMICS
035/036

PLATI SERIES

Decorate Your Life
AOZIHAO CERAMICS




K6801 600x600 800x800mm



K6802 600x600 800x800mm



K6803 600x600 800x800mm



K6806 600x600 800x800mm



K6807 600x600 800x800mm



Applied with **K6802**



K6810 600x600 800x800mm



K6813 600x600 800x800mm



AOZIHAO CERAMICS

MICRO DIAMOND SERIES

Decorate Your Life
AOZIHAO CERAMICS



6TA-01 600x600 800x800mm



AK619 600x600 800x800mm



AK6801 600x600 800x800mm



Applied with **6TA-01/AK619**




AOZIHAO CERAMICS
037/038

SOLUBLE SALT SERIES

Decorate Your Life
AOZIHAO CERAMICS




K6100 600x600 800x800mm



K6103 600x600 800x800mm



K6177 600x600 800x800mm



K6155 600x600 800x800mm



K6112 600x600 800x800mm



K6120 600x600 800x800mm



K6127 600x600 800x800mm



K6129 600x600 800x800mm




K6137 600x600 800x800mm

Non-slippping 防滑
Anti-freeze 耐冰冻
Wear-resisting 耐磨
Acid-alkali resistant 耐酸碱


AOZIHAO CERAMICS

SOLUBLE SALT SERIES

Decorate Your Life
AOZIHAO CERAMICS




Y5-58B 500x500mm




Y6-53 500x500mm




YS5-00 500x500mm




YS5-11 500x500mm




YS5-13 500x500mm




YS5-17 500x500mm



YS5-36 500x500mm



YS5-38C 500x500mm



YS5-39 500x500mm

Non-slippping 防滑
Anti-freeze 耐冰冻
Wear-resisting 耐磨
Acid-alkali resistant 耐酸碱

AOZIHAO CERAMICS

039/040

SOLUBLE SALT SERIES


Decorate Your Life
AOZHAO CERAMICS



YS5-37 500x500mm




YS5-70B 500x500mm



YS5085 500x500mm



YS5866 500x500mm



YS5869 500x500mm



Applied with YS5-37



AOZHAO CERAMICS

Inspection Report

Foshan Supervision Testing Centre of Quality and Metrology
Inspection Report

Form No. QH-09-01 Page 1 of 4

Product Name	POLISHED TILES	Date of Production	---
Entrusting Department	FOSHAN AOZHAO CERAMICS CO.,LTD	Batch No.	---
Entrusting Department Address	NO.10, BLOCK B4, CITEC, FOSHAN, GUANGDONG PROVINCE, CHINA	Vendor No.	---
Manufacturer (Supplied by the applicant)	FOSHAN AOZHAO CERAMICS CO.,LTD	Test Classification	Entrusted Test
Manufacturer Address (Supplied by the applicant)	NO.10, BLOCK B4, CITEC, FOSHAN, GUANGDONG PROVINCE, CHINA	Sample Quantity	32 PCS
Sample's State and Characteristics	Normal	Revised Date	2015-1-24
Test Rule	ISO 10046: 2008 (Annex G) Ceramic Tiles Annex G Dry-pressed ceramic tiles with low water absorption (E, G&H Group IIIa)	Sample Receiver	Page 1/1
Test	The tested items comply with the requirement of the standard ISO 10046:2008 Annex G, and the test is passed.		
Result	2015-08-10		
Remarks	---		

Approved by: [Signature] Checked by: [Signature] Issued by: [Signature]

Foshan Supervision Testing Centre of Quality and Metrology
Inspection Report

Form No. QH-09-01 Page 3 of 4

No.	Test Items	Test Method	Unit	Technical Requirements	Test Results	Decision
1	Physical properties					
	Water absorption	ISO 10545.3	%	Average maximum 0.5 Individual maximum 0.6 When the thickness > 7.5mm, the mean value shall not be less than 0.30	0.05	Pass
	Breaking strength	ISO 10545.4	N	---	1767.8	Pass
	Modulus of rupture	ISO 10545.4	MPa	Average minimum 35 Individual minimum 32	40.2	Pass
	Impact resistance	ISO 10545.5	---	Test method available	0.82	---
	Resistance to deep abrasion	ISO 10545.6	mm ²	Maximum 175	118	Pass
	Coefficient of linear thermal expansion	ISO 10545.8	%	Test method available	6.73*10 ⁻⁶	---
	Resistance to thermal shock	ISO 10545.9	---	Test method available	Noncrack	---
	Modulus expansion	ISO 10545.10	%	Test method available	<0.01	---
	Frost resistance	ISO 10545.11	---	Required	Noncrack	---
2	Static coefficient of friction	GB/T 4008-2006 Annex M	---	Manufacturer to state value and test method available	Dry 0.71 Wet 0.42	---
	Water hardness	JC/T 973-2006	---	Report the test result after test	5	---

Checked by: [Signature] Issued by: [Signature]

Foshan Supervision Testing Centre of Quality and Metrology
Inspection Report

Form No. QH-09-01 Page 2 of 4

No.	Test Items	Test Method	Unit	Technical Requirements	Test Results	Decision	
1	Dimension and surface quality						
	Length and width	ISO 10545.2	%	The deviation, of the average size for each tile from the work size The deviation, of the average size for each tile from the average size of the 10 test specimens	±0.6 ±0.5	Pass	
	Thickness	ISO 10545.2	mm	---	5.4-5.7	---	
	Straightness of sides	ISO 10545.2	%	±0.5	0.07-0.09	Pass	
	Rectangularity	ISO 10545.2	%	±0.6	0.08-0.06	Pass	
	Surface flatness	Center curvature	---	---	±0.5	0.06-0.04	---
		Skewage	ISO 10545.2	%	±0.5	0.07-0.07	Pass
		Edge curvature	---	---	±0.5	0.08-0.05	---
	Surface quality	ISO 10545.2	---	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.	---	Conformed	

Checked by: [Signature] Issued by: [Signature]

Foshan Supervision Testing Centre of Quality and Metrology
Inspection Report

Form No. QH-09-01 Page 4 of 4

No.	Test Items	Test Method	Unit	Technical Requirements	Test Results	Decision
3	Chemical properties					
	Resistance to low concentration of acids and alkalis	ISO 10545.13	---	Manufacturer to state classification	Class ULA	---
	Resistance to household chemicals and swimming pool salts	ISO 10545.13	---	Minimum UB	Class UA	Pass
Resistance staining	ISO 10545.14	---	Test method available	Class 1	---	

Checked by: [Signature] Issued by: [Signature]